

167 Technology Dr.

Irvine | CA 92618 | USA

Tel: 949-453-3990 Fax: 949-453-3995 www.lantronix.com


**Date:** August 20, 2010 **PCN No.:** 143

## PRODUCT CHANGE NOTICE

Dear Valued Lantronix Customer.

The purpose of this notification is to inform Lantronix' customers of changes to the label of XPort 04 and XPort Pro family of products. Lantronix needed to add higher degree of product traceability, and in addition improve the adhesion of the label to the chassis of the product.

1. The new label will now carry additional information, as detailed below, that will help Lantronix better track products. A sample of the updated labels for XPort and XPort Pro are shown below. The new labels will contain two additional pieces of information, as highlighted in note 9 and note 12.



## Notes:

- 1. Not Applicable
- 2. Pre printed Company Logo. "Lantronix" Color Graphic. This item is preprinted on label stock.
- 3. Pre printed Product Logo. "XPort" Graphic or "Xport Pro" Color Graphic. This item is preprinted on label stock.
- 4. Serial Number. MAC Address Barcode: Code 128. Barcode Height approximately 0.19". Content is MAC address as hexadecimal digit values of 0-9, A-F without the octet demarcation "-" (dash character). Barcode to be centered on label material. A quiet zone (white space) is required on either side of barcode with a minimum width 10 times the narrowest element.
- 5. Serial Number. Human Readable Text: Font Style = Arial or equivalent. Bold Font. Font Size = 6 pt (approximately 0.06" character height). Content is Unique MAC Address with hexadecimal Octets separated by "-" (dash character). Place approximately as shown.
- 6. Labeled Part Number. Human Readable Text: Font Style = Arial or equivalent. Bold Font. Font Size = 6 pt (approximately 0.06" character height). Content must read as Finished Goods Bulk Pack PN. Place approximately as shown. Sample unit PNs shall be marked with Finished Goods Bulk Pack PN (i.e. XPP100200S-01R unit shall be marked with XPP1002000-01R).
- 7. Labeled Revision. Human Readable Text: Font Style = Arial or equivalent. Bold Font. Font Size = 6 pt (approximately 0.06" character height). Content must read literally as "Rev. XXX", where XXX is the




167 Technology Dr.

Irvine | CA 92618 | USA

Tel: 949-453-3990 Fax: 949-453-3995 www.lantronix.com

Revision of BOM of Finished Goods Bulk Pack PN. Place approximately as shown on same line as item 6. Sample unit PNs shall be marked with Finished Goods Bulk Pack PN's Revision (i.e. XPP100200S-01R unit is marked as XPP1002000-01R Rev A21 if XPP1002000-01R BOM Rev is A21).

- 8. Patent Number. Human Readable Text: Font Style = Arial or equivalent. Bold Font. Font Size = 6 pt (approximately 0.06" character height). Content must read literally as "Patents. 6,881,096 & 7,018,242". Place approximately as shown on same line as item 6.
- 9. Country of Origin & Manufacturing Location ID. Human Readable Text: Font Style = Arial or equivalent. Bold Font. Font Size = 6 pt (approximately 0.06" character height). Content must read literally as "Made in XXX", where XXX is Country & Factory of Manufacturing Origin (i.e. USA, China, China 01, China 02, Malaysia). Place approximately as shown.
- 10. Date Code of Manufacturing. Human Readable Text: Font Style = Arial or equivalent. Bold Font. Font Size = 6 pt (approximately 0.06"" character height). Content must read literally as "YYWXX", where YY is actual Year of manufacturing & XX is actual Week of manufacturing, separated by the letter Capital "W". Place approximately as shown on same line as item 9.
- 11. Not Applicable
- 12. Factory Tester Slot ID (Factory use only). Human Readable Text: Font Style & size = Same as Item 9. Content is a value indicating the Factory tester's slot ID. Place 1 space character after Item 9.
- 2. The new label now has bend relief perforations that will aid in ensuring that the label will adhere flat to the chassis at bend. See engineering illustration below specifying the exact nature of change.





167 Technology Dr.

Irvine | CA 92618 | USA

Tel: 949-453-3990 Fax: 949-453-3995 www.lantronix.com

There will be no change to revision numbers as a consequence to these label updates.

		Current	
Part Numbers	Description	Revision	New Revision
XP1001000-04R	XPORT EXTENDED TEMP -40 TO 85 C, NO ENCRYPTION, RoHS	B11	B11
XP1002000-04R	XPORT, EXTENDED TEMP. W/ ENRYPTION, BULK, ROHS	B11	B11
XP100200S-04R	XPORT ROHS EXTENDED TEMP. W/ ENRYPTION, SAMPLE, ROHS	B11	B11
XP1001000M-04R	XPORT XE ROHS EXTENDED TEMP MODBUS, BULK	A11	A11
XP1002001-04R	XPORT, COMMERCIAL TEMP. W/ ENRYPTION, BULK, ROHS	B11	B11
XP1001001-04R	XPORT ROHS COMMERCIAL TEMP, BULK	B11	B11
XPP1002000-01R	XPORT PRO, ROHS, EXTENDED TEMP. W/ENCRYPTION, BULK	A11	A11
XPP100200S-01R	XPORT PRO, ROHS, EXTENDED TEMP. W/ENCRYPTION, SAMPLE	A11	A11
XPP1003000-01R	XPORT PRO W/LINUX, BULK, ROHS	A11	A11
XPP100300S-01R	XPORT PRO FOR LINUX, SAMPLE, ROHS	A11	A11

**SCHEDULE**: Please note that factory shipments with new label will approximately begin shipping on **November 20<sup>th</sup>**, **2010**.

For customers that would like to take advantage of the new capabilities immediately, the new firmware and associated release notes are available for download from our website: <a href="http://www.lantronix.com/support/downloads.html">http://www.lantronix.com/support/downloads.html</a>

If you have any questions, please contact your sales representative or Lantronix Customer Support at  $(866)\ 649-0721$  or  $(949)\ 453-3990\ x342$ .

