

PRODUCT CHANGE NOTICE

Dear Lantronix Customer,

The purpose of this communication is to inform you of an upcoming change to the following products. This change is part of our effort and commitment to continuous improvement of our products and processes.

Change Type

Connectivity services

Products Affected

| Part Number | Description | Old Revision | New Revision |
|-------------|--|--------------|--------------|
| M114F002S | MODEM M114 EMEA - LTE CAT. 1 BAND 20, 3, 7 - 2G FB BAND 8, 3 - RS-232 & USB PORTS - 2 I/OS - MPACK | C12 | C13 |
| M114F003S | MODEM M114 ASIA PACIFIC - LTE CAT. 1 BAND 28, 8, 3 - 3G FB BAND 1 - RS-232 & USB PORTS - 2 I/OS - MPACK | C12 | C13 |
| M114F005S | MODEM M114 DOCOMO - JAPAN - LTE CAT. 1 BAND 19, 1 - NO FALL BACK - RS-232 & USB PORTS - 2 I/OS - MPACK | C12 | C13 |
| E214F00CS | ROUTER E214 CHINA, INDONESIA, INDIA - LTE CAT. 1 BAND 5, 8, 3, 1; TDD 40, 41 - 3G FB 8,1 - 2G FB BAND 8, 3 - 2 ETHERNET, DUAL SIM, RS-232 PORT, WI-FI, SD CARD, 2 I/O - EPACK | F12 | F13 |
| M113F00FS | MODEM M113M1/NB1 WORLDWIDE - LTE-M1 / NB-IOT BAND 12, 28, 13, 20, 26, 8, 3, 4, 25, 1 - RS-232 & USB PORTS - 2 I/OS - MPACK | E13 | E14 |
| M113F002S | MODEM M113M1/NB1 2GFB WORLDWIDE - LTE-M1 / NB-IOT BAND 12, 28, 13, 20, 26, 8, 3, 4, 25, 1 - 2G FB, RS-232 & USB PORTS - 2 I/OS - MPACK | E13 | E14 |
| E214F002S | ROUTER E214 EMEA MALAYSIA - LTE CAT. 1 BAND 28, 20, 8, 3, 1, 7 - 3G FB 8,1 - 2G FB BAND 8, 3 - 2 ETHERNET, DUAL SIM, RS-232 PORT, WI-FI, SD CARD, 2 I/O - EPACK | F12 | F13 |
| B43H002S | TRACKER BOLERO43 - EMEA - LTE CATM1 BAND 20, 8, 3, 7 - 2G FB BAND 8, 3 - IP 68 ? GNSS - LI.ION BATTERY BACKUP - RS232 2 WIRES - 2 I/O - 1 WIRE INTERFACE - AVL SOFTWARE | E12 | E13 |
| F35H00FB02 | FOX3-3G-(CT)-PROMOTION-KIT: | C12 | C13 |
| M115F00FS | MODEM M115 - WORLDWIDE - 3G BAND 5, 8, 3, 1 - 2G FB BAND 5, 8, 3, 2 - RS-232 & USB PORTS - 2 I/OS - MPACK | B12 | B13 |
| F35HGZFB02 | FOX3-3G-BLE-PROMOTION-KIT | C12 | C13 |
| E218F004S | ROUTER E218 BRAZIL ANZ THAILAND MALAYSIA SINGAPORE - LTE CAT4 BAND 28, 5, 8, 3,1 - 3G FB1, 5, 8 -2G FB 8, 3 - 2 ETHERNET, DUAL SIM, RS-232 PORT, WI-FI, SD CARD, 2 I/O - EPACK | F12 | F13 |
| F33H002B02 | FOX3-4G-M1/2G-PROMOTION-KIT | E12 | E13 |

| | | | |
|------------|---|-----|-----|
| E228G004S | ROUTER E228 ASIA PACIFIC - LTE CAT4 BAND 1, 3, 5, 7, 8, 28 - 3G FB BAND 1, 5, 8 - 2G FB BAND 3, 8 - 2 ETHERNET RS485, WIFI, LAST GAST, 2 I/O EXT TEMP, GPSONE, EPACK | F12 | F13 |
| E228G00CS | ROUTER E228 CHINA INDIA - LTE CAT4 BAND 1, 3, 5 TDD 40, 41- 3G FB BAND 1, 8 - 2G FB 3, 8 - 2 ETHERNET RS485, WIFI, EXTENDED LAST GAST, 2 I/O EXT TEMP, GPSONE, EPACK | F12 | F13 |
| F35H01FB02 | FOX3-3G-(CT)-AU-PROMOTION-KIT | C12 | C13 |
| F35HLTFS | FOX3-3G-LITE Worldwide - 3G bands 5/8/2/1 - 2G FB - GNSS - int & ext ant - Mini Sim - 2 wire RS232 - 3 I/O - 1 Wire - Mini USB - AVL Software | D11 | D12 |
| F35HGZFS | FOX3-3G-BLE (CT) Worldwide - 3G bands 5/8/2/1 - 2G FB -GNSS - Accelerometer, int & ext ant - BT LE 4.1 - Mini Sim - 2 X RS232 - 3 I/O - I2C - RTC - 1 Wire - Mini USB - AVL Software | D11 | D12 |
| B45H00FS | BOLERO45, 60190, Worlwide - 3G band 5/8/2/1 - 2G FB - IP 68 ? GNSS - Li.Ion battery backup - RS232 2 wires - 2 I/O - 1 Wire interface - AVL Software | C11 | C12 |
| E215F002S | ROUTER E215 EMEA ASIA - 3G BAND 8, 1 - 2GFB BAND 8, 3- 2 ETHERNET, DUAL SIM, RS-232 PORT, WI-FI, SD CARD, 2 I/O - EPACK | F12 | F13 |
| F35R00FB02 | FOX3-3G-(CT)-DR-PROMOTION-KIT | C12 | C13 |
| F35H00FS | FOX3-3G - Worldwide - 3G bands 5/8/2/1 - 2G FB - GNSS - Accelerometer, int & ext ant - Mini Sim - 2 X RS232 - 3 I/O - I2C - RTC - 1 Wire - Mini USB - AVL Software | D11 | D12 |
| E228G002S | ROUTER E228 EMEA - LTE CAT4 BAND 1, 3, 7, 8, 20, 28 - 3G FB BAND 1,8 - 2G FB BAND 3, 8 - 2 ETHERNET, RS485, WIFI, EXTENDED LAST GAST, 2 I/O EXT TEMP, GPSONE, EPACK | F13 | F14 |
| F38H002S | FOX3-4G4 EU - EUROPE - 4G Cat4 Bands 1, 3, 5, 7, 8, 20 - 2G & 3G FB - GNSS - Accelerometer, int & ext ant - Mini Sim - 2 X RS232 - 3 I/O - I2C - RTC - 1 Wire - Mini USB - AVL Software | D11 | D12 |
| F38H002B02 | FOX3-4G-EU-C4-PROMOTION-KIT | C12 | C13 |
| F33H002S | FOX3 4G M1 FB - Worldwide - 4G CatM1/NB1 Bands 2, 3, 4, 5, 8, 12, 13, 20 -2G FB - GNSS - Accelerometer, int & ext ant - Mini Sim - 2 X RS232 - 3 I/O - I2C - RTC - 1 Wire - Mini USB - AVL Software | F11 | F12 |
| E218F009S | ROUTER E218 LG U+ - LTE CAT4 BAND 5, 3, 1, 7 - 2 ETHERNET, DUAL SIM, RS-232 PORT, WI-FI, SD CARD, 2 I/O - EPACK | F12 | F13 |
| E225FLZ2S | ROUTER E225 EMEA - 3G BAND 1, 8 - 2G FB BAND 3, 8 - 2 ETHERNET, RS485, WIFI, LAST GAST MINI, 2 I/O, EPACK | B12 | B13 |
| F35R00FS | FOX3-3G-DR - Worldwide - 3G bands 5/8/2/1 - 2G FB - GNSS - Dead Recogning - Accelerometer, int & ext ant - Mini Sim - 2 X RS232 - 3 I/O - I2C - RTC - 1 Wire - Mini USB - AVL Software | D11 | D12 |
| F35H01FS | FOX3-3G-AU Worldwide - 3G bands 5/8/2/1 - 2G FB - GNSS - AUDIO - Accelerometer, int & ext ant - Mini Sim - 2 X RS232 - 3 I/O - I2C - RTC - 1 Wire - Mini USB - AVL Software | D11 | D12 |
| B45H00FB02 | BOLERO45-PROMOTION-KIT | C11 | C12 |
| E225HPL2S | ROUTER E225#02 EMEA - 3G BAND 1, 8 - 2G FB BAND 3, 8 - 2 ETHERNET, RS485, PDPOE, WIFI, LAST GAST, 2 I/O, EXT TEMP, GNSS, EPACK | F12 | F13 |

| | | | |
|----------------|--|-----|-----|
| F34HLT3S | TRACKER FOX3-4G-C1-LITE - ASIA PACIFIC - 4G CAT1 BANDS 28, 8, 3 - 3G FB BAND 1 - GNSS - INT & EXT ANT - MINI SIM - 2 WIRE RS232 - 3 I/O - 1 WIRE - MINI USB - AVL SOFTWARE | B11 | B12 |
| F35H00FS-010 | FOX3-3G - WORLDWIDE - 3G BANDS 5/8/2/1 - 2G FB - GNSS - ACCELEROMETER, INT & EXT ANT - MINI SIM - 2 X RS232 - 3 I/O - I2C - RTC - 1 WIRE - MINI USB - AVL SOFTWARE | D11 | D12 |
| F35H00FB01 | TRACKER FOX3-3G - WORLDWIDE - 3G BANDS 5/8/2/1 - 2G F - GNSS - ACCELEROMETER, INT/EXT ANT-MINI SIM-2 X RS232-3 I/O-I2C-RTC-1 WIRE-MINI USB-AVL SOFT INCL. BAT-01 RECHARGEABLE 1000 MAH LI-ION BACKUP BATTERY | C11 | C12 |
| E218G004S | ROUTER, E218, LTE CAT4 BAND, ETHERNET, DUAL SIM, RS-232 PORT, Wi-Fi, SD CARD, 2 I/O EPACK, BANZ, GNSS | E12 | E13 |
| F33H002B01 | TRACKER FOX3-4G-M1-FB-WW-4G CATM1/NB1 BANDS 2, 3, 4, 5, 8, 12, 13, 20-2G FB-GNSS-ACCELEROMETER, INT/EXT ANT-MINI SIM-2 X RS232-3 I/O-I2C-RTC-1 WIRE-MINI USB-AVL SOFTWARE BAT-01 1000 MAH LI-ION BATTERY | F11 | F12 |
| F35HGZFB01 | TRACKER FOX3-3G-BLE (CT) WW-3G BANDS 5/8/2/1-2G FB-GNSS-ACCELEROMETER, INT/EXT ANT-BT LE 4.1 - MINI SIM-2 X RS232-3 I/O-I2C-RTC-1 WIRE-MINI USB-AVL SOFT BAT-01 RECHARGEABLE 1000 MAH LI-ION BATT | D11 | D12 |
| F35R00FB01 | TRACKER FOX3-3G-DR-WW-3G BANDS 5/8/2/1-2G FB-GNSS-DEAD RECOGNING-ACCELEROMETER, INT/EXT ANT-MINI SIM -2 X RS232-3 I/O-I2C-RTC-1 WIRE-MINI USB-AVL SOFTWARE BAT-01 RECHARGEABLE 1000 MAH LI-ION BATTERY | D11 | D12 |
| F38H002B01 | TRACKER FOX3-4G-C4-EU-EUROPE -4G CAT4 BANDS 1, 3, 5, 7, 8, 20-2G/3G FB-GNSS-ACCELEROMETER, INT/EXT ANT-MINI SIM-2 X RS232-3 I/O-I2C-RTC-1 WIRE-MINI USB-AVL SW BAT-01 RECHARGEABLE 1000 MAH LI-ION BATT | D11 | D12 |
| F35HGZFS-010 | TRACKER FOX3-3G-BLE (CT) WORLDWIDE - 3G BANDS 5/8/2/1 - 2G FB -GNSS - ACCELEROMETER, INT & EXT ANT - BT LE 4.1 - MINI SIM -2 X RS232-3 I/O-I2C-RTC-1 WIRE-MINI USB-AVL SOFTWARE-PREMIUM FEATURE5: CH/FMS | C11 | C12 |
| F35R00FB01-001 | FOX3-3G-DR-WORLDWIDE-3G BANDS 5/8/2/1-2G FB-GNSS-DEAD RECOGNING-ACCELEROM, INT/EXT ANT-MINI SIM-2 X RS232-3 I/O -2C-RTC-1 WIRE -MINI USB-BAT-01 RECHRGABLE 1000 MAH LI-ION BACKUP BATT-AVL SOFT PREMIUM | B11 | B12 |
| M114F004S | LTE CAT 1 MODEM APAC/EMEA, LTE BANDS 28, 20, 8, 3, 1, 3G BAND 1, 5 V DC-32 V DC, RESET BUTTON, 2-WAY VERSATILE I/O X2, RS-232 PORT X1, USB 2.0 PORT X1, MINI-SIM CARD HOLDER, LED X2, MPACK SW SUITE | 01P | A11 |
| E218G107S | LTE CAT. 4 ROUTER FOR JAPAN, SOUTH KOREA; RS-232 PORT X1; 1T1R WI-FI 4 at 2.4 GHZ ONLY; ETHERNET LAN PORT X1, WAN PORT X1; IZAT GEN. 8C GPSONE; DUAL SIM OPERATION; EPACK SOFTWARE SUITE | B11 | B12 |
| F33HGZ2B01 | TRACKER FOX3-M1-BLE-WORLDWIDE-LTE-M/NB2 BANDS 2, 3, 4, 5, 8, 12, 13, 20-2G FB-GNSS-ACCELEROMETER, INT/EXT ANT-BT LE 4.1-MINI SIM-2 X RS232-3 I/O-I2C-RTC-1 WIRE-MINI USB-AVL SOF-INCBAT-01 RECHEARGEABLE | D13 | D14 |

| | | | |
|-----------|--|-----|-----|
| G526GP12S | INDSTRY PACK LTE CAT4 ROUSTR,EMEA/APAC,LTE-3G-2G B28,20,8,3,1,7-B8,1-B8,3,10.8-60V DC, L GASP, DI, DI-O X2, VI-O X2, RS-232,RS-485,USB,WIFI 5,BT5 ETHRNT X2 GNSS,DUAL SIM,MICROSD SW EPACK INDUSTRIAL SUIT | D11 | D12 |
| G526GP17S | INDUSTRY PACK LTE CAT 4 ROUTER, JAPAN, SOUTH KOREA LTE B18,5(19),8,21,3(9),1,7,10.8-60V DC,L GASP,DI,DI-O X2,VI-O X2,RS-232,RS-485,USB,WIFI5,BT5,ETHRNT X2,GNSS,DUAL SIM,MICROSD SW EPACK INDUSTRIAL SUIT | D11 | D12 |
| G526GP1CS | INDSTRY PK LTE CAT4 ROUSTR,CHINA/THAI/INDNSA/INDIA,LTE3G-2G B5,8,3,1,40,41-B8,1-B8,3,10.8 60V DC,L GASP,DI,DI-O X2,VI-O X2,RS-232,RS-485,USB,WIFI5,BT5,ETHRNT X2,GNSS,DUAL SIM,MICROSD SW EPACK INDSTRY | D11 | D12 |
| G527GP22S | SECRTY PK LTE CAT7-13 ROUSTR, EMEA/APAC,LTE3G B28,20,8,32,3,1,7,40,41(38),42,43-B5,8,1, 10.8-60 V DC,L GASP, DI, DI-O X2,VI-O X2,RS-232,RS-485,USB,WIFI5,BT5, SEC ELEM, PSE-POE+ ETHRNT X2,GNSS, DUAL SIM | D11 | D12 |
| G527GP27S | LTE CAT 7/13 ROUSTR, JAPAN, LTE3G B18,5(19),8,3(9),1,41,42,43/B5(19,6),1, 10.8 -60 V DC,L GASP,DI, DI/O X2,VI/O X2, RS-232, RS-485, USB, WIFI5, BT5; SEC. ELEM; PSE-POE+ETHRNT X2; GNSS; DUAL SIM; MICROSD | D11 | D12 |
| G528GP2FS | SECURITY PACK 5G Sub 6 GHZ LTE CAT13 FB IOT GATEWAY WORLD; 10.8 - 60 V DC; L. GASP; DI; DI-O X2; VI-O X2; RS-232; RS-485; USB; WI-FI 5; BT 5; SEC. ELEM.; PSE-POE+ ETHERNET X2; GNSS | D11 | D12 |
| F43H102S | FOX4, EMEA, LTE M & NB2 BANDS 1, 2, 3, 4, 5, 8, 12, 13, 18, 19, 20, 25, 26, 28, 66, 85, 2G FB, GNSS, WIFI 4, BLE 4.2, ACC., INT. & EXT. ANT., MINI SIM, RS232, 3 I/O, I2C, RTC, 1 WIRE, BAT-01 | C11 | C12 |
| F43H20FS | FOX4, WW, LTE M & NB2 BANDS 1, 2, 3, 4, 5, 8, 12, 13, 18, 19, 20, 25, 26, 28, 66, 71, 85, GNSS, WIFI 4, BLE 4.2, ACC., INT. & EXT. ANT., MINI SIM, RS232, 3 I/O, I2C, RTC, 1 WIRE, BAT-01 | C11 | C12 |
| F44H102S | FOX4, EMEA, LTE CAT 1 BANDS 1, 3, 7, 8, 20, 28, 3G 1& 8, 2G 3 & 8, GNSS, ACC., WIFI 4, BLE 4.2, INT. & EXT. ANT., MINI SIM, RS232, 3 I/O, I2C, RTC, 1 WIRE, BAT-01 | C12 | C13 |
| G526RP42S | TRANSPORT PACK LTE CAT 4 ROUTER FOR EMEA, ASIA PACIFIC; LTE-3G-2G B28,20,8,3,1,7-B8,1-B8,3; 10.8 - 60 V DC; L. GASP; DI; DI-O X2; VI-O X2; RS-232; RS-485; USB; WI-FI 5; BT 5; ETHERNET X2; GNSS; DUAL SIM; MICROSD. SW EPACK TRANSPORT SUIT | C11 | C12 |
| G526RP47S | TRANSPORT PACK LTE CAT 4 ROUTER FOR JAPAN, SOUTH KOREA; LTE B18,5(19),8,21,3(9),1,7; 10.8 - 60 V DC; L. GASP; DI; DI-O X2; VI-O X2; RS-232; RS-485; USB; WI-FI 5; BT 5; ETHERNET X2; GNSS; DUAL SIM; MICROSD SW EPACK TRANSPORT SUIT | C11 | C12 |
| G526RP4AS | TRANSPORT PACK LTE CAT 4 ROUTER FOR CANADA, USA; LTE B71,12(17),13,14,26(5),66(10,4),25(2); 10.8 - 60 V DC; L. GASP; DI; DI-O X2; VI-O X2; RS-232; RS-485; USB; WI-FI 5; BT 5; ETHERNET X2; GNSS; DUAL SIM; MICROSD SW EPACK INDUSTRIAL SUIT | C11 | C12 |
| B43H207S | BOLERO43 WATERPROOF (IP68-RATED) VEHICLE TRACKER FOR JAPAN - 10.8 V DC ~ 48 V DC - LI-ION BATTERY BACKUP - IGNITION - CAN BUS X 1 - VERSATILE I/O X 2 - 1-WIRE INTERFACE X 1 - 3-WAY CONCURRENT GNSS | D11 | D12 |

| | | | |
|--------------|--|-----|-----|
| F33H007S | TRACKER FOX3-4G-M1-WW-4G CATM1/NB1 BANDS JAPAN VERSION-GNSS-ACCELEROMETER, INT/EXT ANT-MINI SIM-2 X RS232-3 I/O-I2C-RTC-1 WIRE-MINI USB-AVL SOFTWARE BAT-01 1000 MAH LI-ION BATTERY | C12 | C13 |
| G528GP2FSGC | SECURITY PACK 5G Sub 6 GHZ LTE CAT13 FB C BAND SUPPORT IOT GATEWAY WORLD; 10.8 - 60 V DC; L. GASP; DI; DI-O X2; VI-O X2; RS-232; RS-485; USB; WI-FI 5; BT 5; SEC. ELEM.; PSE-POE+ ETHERNET X2; GNSS,TAA | C11 | C12 |
| F33H502S | TRACKER FOX3-4G-M1-FB-WW-4G CATM1/NB1 BANDS 2, 3, 4, 5, 8, 12, 13, 20-2G FB-GNSS-ACCELEROMETER, INT/EXT ANT-MINI SIM-2 X RS485-3 I/O-I2C-RTC-1 WIRE-MINI USB-AVL SOFTWARE BAT-01 1000 MAH LI-ION BATTER | B11 | B12 |
| F43H207S | FOX4, JAPAN, LTE M & NB2 BANDS 1, 2, 3, 4, 5, 8, 12, 13, 18, 19, 20, 25, 26, 28, 66, 71, 85, GNSS, WIFI 4, BLE 4.2, ACC., INT. & EXT. ANT., MINI SIM, RS232, 3 I/O, I2C, RTC, 1 WIRE, BAT-01 | C11 | C12 |
| M114B00FS | MODEM M114 - LTE CAT. 1 BIS - RS-232 & USB PORTS - 2 I/OS - MPACK | B12 | B13 |
| F43H507S | FOX4, JAPAN, LTE M & NB2 BANDS 1, 2, 3, 4, 5, 8, 12, 13, 18, 19, 20, 25, 26, 28, 66, 71, 85, GNSS, WIFI 4, BLE 4.2, ACC., INT. & EXT. ANT., MINI SIM, RS485, 3 I/O, I2C, RTC, 1 WIRE, BAT-01 | B11 | B12 |
| F43H50FS | FOX4, WW, LTE M & NB2 BANDS 1, 2, 3, 4, 5, 8, 12, 13, 18, 19, 20, 25, 26, 28, 66, 71, 85, WIFI 4, BLE 4.2, GNSS, ACC., INT. & EXT. ANT., MINI SIM, RS485, 3 I/O, I2C, RTC, 1 WIRE, BAT-01 | B11 | B12 |
| 88-CAT4EUA | LM80/LM83X LTE CAT4 internal modem for EU/UK/AUS/NZ with external high gain antenna | B | C |
| 88-CAT4VA | LM80/LM83X US LTE CAT 4 Internal modem for Verizon (combo) w/ external antenna | B | C |
| 88-CATM1VA | LM80/LM83X US LTE CAT M1 internal modem for Verizon(combo) w/ external antenna | B | C |
| B43H001S | TRACKER, BOLERO43 - NA-LTE CATM1 BAND 13-IP68, GNSS - LI ION BATTERY BACKUP - RS232 2 WIRES - 2 I/O - 1 WIRE INTERFACE - AVL SOFTWARE | C12 | C13 |
| 88-CAT4ATTA | LM80/LM83X US LTE CAT 4 Internal modem for AT&T (combo) w/ external antenna | B | C |
| 88-CATM1ATTA | LM80/LM83X US LTE CAT M1 internal modem for AT&T (combo) w/ external antenna | B | C |
| G526GP1AS | INDUSTRY PK LTE CAT4 ROUTR,CAN/USA,LTE B71,12(17),13,14,26(5),66(10,4),25(2),10.8-60V DC,L GASP,DI,DI-O X2,VI-O X2,RS-232,RS-485,USB,WIFI5,BT5,ETHRNT X2;GNSS,DUAL SIM,MICROSD SW EPACK INDSTR L SUIT | D11 | D12 |
| G527GP2AS | SECRTY PK LTE CAT7-13 ROUTR,AMER, LTE3G B71,12(17),13,14,26(5),66(10,4),25(2),7,41,42,48,43-B5,4,2,10.8-60V DC, L GASP, DI,DI-O X2, VI-O X,RS-23, RS-485,USB; WIFI5,BT5,SEC. ELEM,PSE-POE+ETHRNT X2,GNSS | D11 | D12 |
| G527GP2ASG | SECRTY PK,LTE CAT7-13 ROUTR,AMER,LTE3G B71,12(17),13,14,26(5),66(10,4),25(2),7,41,42,48,43-B5,4,2,10.8-60V DC,L GASP,DI,DI-O X2,VI-O X2,RS-232,RS-485,USB,WIFI 5,BT5,SEC ELEM,PSE-POE+ETHRNT X2,GNSS,TAA | D12 | D13 |

| | | | |
|---------------|---|-----|-----|
| G526GP1ASG | INDSTRY PK LTE CAT4 ROUTr,CAN/USA,LTE B71,12(17),13,14,26(5),66(10,4),25(2),10.8-60V DC,L GASP,DI,DI-O X2,VI-O X2,RS-232,RS-485,USB,WIFI5,BT5,ETHRNT X2,GNSS,DUAL SIM,MICROSD SW EPACK INDSTR L SUIT TAA | D12 | D13 |
| G528GP2FSG | SECURITY PACK 5G Sub 6 GHZ LTE CAT13 FB IOT GATEWAY WORLD; 10.8 - 60 V DC; L. GASP; DI; DI-O X2; VI-O X2; RS-232; RS-485; USB; WI-FI 5; BT 5; SEC. ELEM.; PSE-POE+ ETHERNET X2; GNSS, TAA | A11 | A12 |
| G526GP1AS1 | INDUSTRY PACK LTE CAT 4 ROUTER FOR CANADA, USA; LTE B71,12(17),13,14,26(5),66(10,4),25(2); 10.8 - 60 V DC; L. GASP; DI; DI-O X2; VI-O X2; RS-232; USB; WI-FI 5; BT 5; ETHERNET X2; GNSS; DUAL SIM; MICROSD SW EPACK INDUSTRIAL SUIT | D11 | D12 |
| 88-CAT4GLOBAL | LM80/LM83X INTERNATIONAL LTE CAT 4 Modem (combo) w/ external antenna | B | C |
| F33H002S | FOX3 4G M1 FB - Worldwide - 4G CatM1/NB1 Bands 2, 3, 4, 5, 8, 12, 13, 20 -2G FB - GNSS - Accelerometer, int & ext ant - Mini Sim - 2 X RS232 - 3 I/O - I2C - RTC - 1 Wire - Mini USB - AVL Software | F11 | F12 |

Description and Extent of Change

Lantronix will discontinue providing connectivity services with its products. Also, the listed products will be shipped out under new revision and without a SIM card.

Reason for Change

Connectivity services discontinuation

Effect of Change on Fit, Form, Function

No fit, form or functional change.

Effective Date of Change

This change will go into effect for the listed products built from **January 24, 2025** onwards.

If you have any questions, please contact your sales representative or contact Lantronix Technical Support by submitting a ticket to: <https://ltrxdev.atlassian.net/wiki/spaces/LTRXTS/overview>